

Commercial/Industrial Color Chart-Signature® 200 and 300 Colors

Commercial/Industrial COLOR CHART

SIGNATURE® 200 Standard Colors SILICONIZED PESTER

 HAWAIIAN BLUE SR.32 SRI 35	 CRIMSON RED SR.33 SRI 34	 FERN GREEN SR.28 SRI 29	 BURNISHED SLATE SR.28 SRI 29
 ASH GRAY SR.48 SRI 56	 SADDLE TAN SR.48 SRI 56	 DESERT SAND SR.42 SRI 48	 KOKO BROWN SR.50 SRI 30
 CHARCOAL GRAY SR.28 SRI 30	 POLAR WHITE SR.58 SRI 69	 RUSTIC RED SR.36 SRI 40	 LIGHT STONE SR.50 SRI 58
 GALLERY BLUE SR.28 SRI 30	 SOLAR WHITE* SR.70 SRI 84		

SIGNATURE® 300 Premium Colors KYNAR 500®, HYLAR 5000®
Additional costs apply for Signature 300 finishes.

 MEDIUM BRONZE SR.33 SRI 36	 SNOW WHITE SR.65 SRI 79	 SLATE GRAY SR.37 SRI 41	 ALMOND SR.63 SRI 76
 CLASSIC GREEN SR.28 SRI 30	 BROWNSTONE SR.47 SRI 54	 BRITRE RED SR.49 SRI 55	 HARBOR BLUE SR.28 SRI 30
 BONE WHITE* SR.70 SRI 84			



An NCI Company
metallic.com

- Final color selection should be made from actual color chips.
- See product selection chart for gauge and color availability.
- All products available in smooth or embossed finish.
- Trim available in all colors.
- All Signature® 300 are low gloss colors.
- Polar White is a Straight Polyester.
- A 25-year limited paint warranty available for all colors upon written request. (Outside the continental United States, please inquire.)
- Signature® is a registered trademark of NCI Group, Inc. KYNAR 500® is a registered trademark of Arkema, Inc. HYLAR 5000® is a registered trademark of Solvay Solexis.
- * This color is California Title 24 compliant. Availability in certain areas may be restricted or require a surcharge.

For complete performance, specifications, product limitations and disclaimers, please consult our Paint and Galvalume Plus® warranties. Upon receipt of payment in full, these warranties are available upon request for all painted or Galvalume Plus® prime products. Contact your local Sales Representative for actual paint samples.

02-10/75M

* All colors approximate actual finish colors as accurately as possible. Actual color may vary slightly.

Commercial/Industrial Color Chart-Signature® 200 and 300 Colors

Commercial/Industrial
Color Chart -
Signature® 200 & 300
Architectural
Color Chart-
Signature® 200 & 300

Commercial/Industrial Panel Profiles

What is Solar Reflectivity (SR)?

Solar reflectivity or reflectance (SR) is the ability of a material to reflect solar energy from its surface back into the atmosphere. The SR value is a number from 0 to 1.0. A value of 0 indicates that the material absorbs all solar energy and a value of 1.0 indicates it is all reflected. Energy Star requires SR testing of both new and aged roof products. New products must have an SR value of 0.25 or higher for steep slope (above 2:12) roofing and an SR value of 0.65 or higher for low slope (2:12 or less) roofing. Aged testing takes 3 years to complete, so not all products that meet the initial requirements are qualified. For more information, please go to www.energystar.gov.

What is Solar Reflectivity Index (SRI)?

The SRI is used to determine compliance with LEED requirements and is calculated according to ASTM E 1980 using values for reflectance and emissivity. Emissivity is a material's ability to release absorbed energy. To meet LEED requirements, a roofing material must have an SRI of 29 or higher for steep slope (above 2:12) roofing and an SRI value of 78 or higher for low slope (2:12 or less) roofing. For more information, please go to www.usgbc.org.

SIGNATURE® 200 - SILICONIZED POLYESTER		
	SR #	SRI #
HAWAIIAN BLUE	.32	35
CRIMSON RED	.33	34
FERN GREEN	.28	29
BURNISHED SLATE	.28	29
ASH GRAY	.48	56
SADDLE TAN	.48	56
DESERT SAND	.42	48
KOKO BROWN	.28	30
CHARCOAL GRAY	.28	30
POLAR WHITE	.58	69
RUSTIC RED	.36	40
LIGHT STONE	.50	58
GALLERY BLUE	.28	30
SOLAR WHITE	.70	84
SIGNATURE® 300 - KYNAR 500® / HYLAR 5000®		
	SR #	SRI #
MEDIUM BRONZE	.33	36
SNOW WHITE	.65	79
SLATE GRAY	.37	41
ALMOND	.63	76
CLASSIC GREEN	.28	30
BROWNSTONE	.47	54
BRITE RED	.49	55
HARBOR BLUE	.28	30
BONE WHITE	.70	84



Profile	Panel	29 GAUGE		26 GAUGE		24 GAUGE		22 GAUGE	
		Galvalume Finish	Sig 300	Galvalume Finish	Sig 300	Galvalume Finish	Sig 300	Galvalume Finish	Sig 300
	PBR	●	■	●	■	●	■	●	■
	PBLU	●	■	●	■	●	■	●	■
	PBC	●	■	●	■	●	■	●	■
	PBD	●	■	●	■	●	■	●	■
	PBA	●	■	●	■	●	■	●	■

● Available in any quantity ■ May require minimum quantity

* All colors approximate actual finish colors as accurately as possible. Actual color may vary slightly.

Commercial/Industrial
 Color Chart -
 Signature® 200 & 300
 Architectural
 Color Chart-
 Signature® 200 & 300

Architectural Color Chart Signature-Signature® 200 and 300 Colors

Architectural COLOR CHART

SIGNATURE® 300 Standard Colors KYNAR 500® HYLAR 5000®

 HARBOR BLUE SR.28 SRI.30	 COLONIAL RED SR.34 SRI.37	 MEDIUM BRONZE SR.33 SRI.36	 PACIFIC BLUE SR.29 SRI.31
 SNOW WHITE SR.65 SRI.79	 SLATE GRAY SR.37 SRI.41	 ALMOND SR.63 SRI.76	 MIDNIGHT BRONZE SR.29 SRI.31
 EVERGLADE SR.33 SRI.36	 BROWNSTONE SR.47 SRI.54	 TUNDRA SR.46 SRI.53	 SPRUCE SR.36 SRI.40
 BRITE RED SR.49 SRI.55	 HUNTER GREEN SR.35 SRI.39	 CLASSIC GREEN SR.28 SRI.30	 NATURAL PATINA SR.41 SRI.47
 BONE WHITE * SR.70 SRI.84			

METALLIC BUILDING COMPANY
 An NCI Company
metallic.com

SIGNATURE® 200 Standard Colors
 SILICONIZED POLYESTER

 BURNISHED SLATE SR.28 SRI.29	 POLAR WHITE SR.58 SRI.60	 CHARCOAL GRAY SR.26 SRI.28
 RUSTIC RED SR.36 SRI.40	 KOKO BROWN SR.28 SRI.30	 FERN GREEN SR.28 SRI.29
 HAWAIIAN BLUE SR.32 SRI.35	 LIGHT STONE SR.50 SRI.58	 COAL BLACK SR.30 SRI.31
 SOLAR WHITE * SR.70 SRI.84		

**SIGNATURE® 300
 Metallic**
 KYNAR 500®
 HYLAR 5000®

 COPPER METALLIC SR.45 SRI.51
 SILVER METALLIC SR.52 SRI.60

For complete performance, specifications, product limitations and disclaimers, please consult our Paint and Galvalume Plus® warranties. Upon receipt of payment in full, these warranties are available upon request for all painted or Galvalume Plus®, prime products. Contact your local Sales Representative for actual paint samples.

02-10/75M

Architectural Color Chart Signature-Signature® 200 and 300 Colors

Commercial/Industrial
Color Chart -
Signature® 200 & 300
Architectural
Color Chart-
Signature® 200 & 300

Architectural Panel Profiles

	Signature® 300 & Signature® 300 Metallic		Galvalume® Plus		
	24 GA.	22 GA.	26 GA.	24 GA.	22 GA.
Artisan® 8" Wide 10" Wide 12" Wide	■ ■ ■	■ ■ ■	● ● ●	● ● ●	● ● ●
BattenLok® HS 12" Wide 16" Wide	■ ■	■ ■		● ●	● ●
LokSeam® 12" Wide 16" Wide 18" Wide	■ ■ ■	■ ■ ■	●	● ● ●	● ● ●
NuWall® 12" Wide	■	■	●	●	●
ShadowRib® 16" Wide	■	■		●	●
SuperLok® 12" Wide 16" Wide	■ ■	■ ■	● ●	● ●	● ●
Ultra-Dek & Double-Lok® 12" Wide 18" Wide 24" Wide	■ ■ ■	■ ■ ■	● ● ●	● ● ●	● ● ●

● Available in any quantity. Other colors, finishes, gauges and materials available — please inquire!
 ■ Minimum quantity may be required.
 * Signature® 200 White available in any quantity.

- Final color selection should be made from actual color chips.
- See product selection chart for gauge and color availability.
- All products available in smooth or embossed finish.
- Heavier gauges, narrower widths, striations and embossing minimize "oil canning."
- All Signature® 300 and 300 Metallic are low gloss colors.
- Polar White is a Straight Polyester.
- A 25-year limited paint warranty available for all colors upon written request. (Outside the continental United States, please inquire.)
- This color is California Title 24 compliant. Availability in certain areas may be restricted or require a surcharge.
- Signature® is a registered trademark of NCI Group, Inc.
- KYNAR 500® is a registered trademark of Arkema, Inc.
- HYLAR 5000® is a registered trademark of Solvay Solexis.

* All colors approximate actual finish colors as accurately as possible. Actual color may vary slightly.